

Determining Compliance of Transboundary Cooperation for Biodiversity Management in the Serengeti- Mara Ecosystem, East Africa



Determining Compliance of Transboundary Cooperation for Biodiversity Management in the Serengeti- Mara Ecosystem, East Africa

Author Details:

Parita Shah and George Okoye Krhoda*

Department of Geography and Environmental Studies,
University of Nairobi, Kenya

Corresponding author:

George Okoye Krhoda, Department of Geography and Environmental Studies, University of Nairobi, P.O. Box 30197; Nairobi, Kenya, Email: george.krhoda@gmail.com

Published By:


MedCrave Group LLC

February 05, 2018

Contents

1. Author profiles	1
2. Abstract	2
3. Introduction	3
4. Status of the ecosystem	3
5. Methodology	4
5.1 Approach	4
6. Measures of compliance	4
6.1 Obligations in relation to policy	4
6.2 Prescriptions in relation to obligations	4
7. Results and discussions	4
7.1 Policy Prescriptions	8
7.2 Community based responses from questionnaires	8
8. Discussions and Conclusion	9
9. References	9

Author Profile



Prof. George Okoye Krhoda, CBS, is Associate Professor of Geography and Environmental Studies and Vice Chairman of the Daystar University Council. He is a Hydrologist/Water Resources Management specialist and has B.Ed.(Hons), M.A and Ph.D on River Hydraulics And Water Resources Planning. Krhoda is also the Managing Director of Research on Environment and Development Planning (REDPLAN) Consultants Ltd. Until December 2006, he was the Permanent Secretary, Ministry of Environment and Natural Resources and Chairman of the Negotiation Committee on the Nile Basin Cooperative Framework, and earlier Permanent Secretary in the Ministry of Water and Irrigation where most of the water sector reforms were carried under his watch. Currently finalizing “Environmental and social impact assessment (ESIA) for Akiira One Geothermal Power Energy in Rift Valley, having completed ESIA for Mount Suswa Geothermal Energy, Formulation of Kenya’s national Groundwater Policy; National Transboundary Water Resources Policy, and Outcome Evaluation of UNDP Rwanda Environment Programme”. Recently, Prof. Krhoda has been involved in “Development of the Mau Forest Complex Investment Programme”, “Lake Naivasha Conservation and Integrated Water Resources Management (IWRM) Programme” in developing, managing and evaluating “Mara River Basin Policy, Legal and Institutional Cooperative Framework”, “Environmental Audit for Arid Lands Resource Management Project, Climate Change and Development Study”, humanitarian programmes in South Darfur in Kass, reviewed the status of IWRM in countries of the South, member of GWP Review Group on IWRM planning and has consulted in various capacities for the World Bank, UNDP, UNICEF, UNEP, the Royal Netherlands Embassy in Nairobi, and WWF, African Centre for Technology Studies (ACTS), IGAD, COMESA, and OSS; co-organized with UNO/UNEP international conferences on UN Desertification Convention, UN Climate Change Convention, Basel Convention and ILEC/World Lakes Conferences. Krhoda was appointed Rapporteur for the GA/UNEP, in February 2006 in Dubai, The Emirates. His current consultancy assignment concentrates on Policy Dialogue and Conflict over use and access to natural resources, institutional reforms, strategic planning, floods and environmental management.



Parita Shah is a Tutorial Fellow in the Department of Geography and Environmental Studies, University of Nairobi. She holds a PhD in Biogeography and MA in Environmental Planning and Management from the University of Nairobi and BA (Geography) from University of London. Her research interests include biodiversity conservation and policy analyses, contribution of biodiversity to livelihoods, climate change, environmental impact assessments and natural and cultural tourism.

Abstract

Biodiversity management is under threat due to habitat loss and or modifications resulting from deforestation, increased farming, overgrazing and human settlement. There is need for an organized process as well as community participation in transboundary conservation. The entire Serengeti-Masai Mara Ecosystem the world famous Serengeti Game Park and Maasai Mara National Reserve and includes the Maswa Game Reserve (2,200km²) in the south, Grumeti and Ikorongo Game Reserves in the east, Maasai Mara National Reserve in Kenya (1,672km²) to the north, and Loliondo Game Controlled Area in the west. The paper reviews the level of policy compliance and strategy integration of international cooperation in transboundary ecosystem of environment in Kenya and Tanzania in order to determine the extent to which the states have complied with international protocols. An assessment of documentary evidence on the level of effectiveness in the integration of transboundary cooperation in policies and legal frameworks and field data were collected from 35 residents around the SME using questionnaires. The sample was convenient sampling in which only adults who had interacted with conservation areas were interviewed. Additionally a cross tabulation using check list on policies related to biodiversity in the East African Community region, and policy prescriptions was made. The achievement of the cooperation obligations is not a benchmark to demonstrate cooperation but rather the number of prescriptions per legal framework on cooperation reflects more authority on domestication and application of the legal frameworks in transboundary matters.

Keywords: Serengeti Game Reserve; Maasai Mara; Transboundary; Biodiversity management; Policies; Target; Ecosystem; Domestication; Habitats; Consumption; Mainstreaming; Natural resources; Community; Headwaters; Watering points

Introduction

Human population has its greatest footprint on global landscape today. However history shows that humans in the past adjusted themselves reasonably well and cohabitated with other members of the ecosystem including wildlife [1]. Recent decades have shown that humans, because of numbers and their consumption habits, are less tolerant and will not allow wildlife survival without heavy cost [2]. The problem has not only become local or regional but has impacted both national and international in nature affecting all forms of habitats across many continents (Distefano, n.d). Wildlife operates within ecosystems whose boundaries do not to coincide with administrative nor national borders [3]. In this review, we examine the decision making process through policy mainstreaming and strategic integration for a transboundary management regime for the savanna ecosystem. Transboundary Natural Resources Management (TBNRM) is defined [4] as *any* process of collaboration across a boundary that increases the effectiveness of attaining natural resource management or biodiversity conservation goal(s). Key ecological systems and components which occur in two or more nations are subject to a range of often different and sometimes opposing management and land-use practices. Whenever a resource use is unsustainable on one side of a border of the same ecosystem, the resource use in the neighboring state(s) may adversely be affected as well. A TBNRM area is an eco-region in which there is deliberate attempt to the manage natural resources across political or administrative boundary. The characteristics of TBNRM areas generally are associated with a strong private sector presence, promote empowerment of communities and the strengthening of community based natural resources management (CBNRM) and foster the creation of a multitude of public-private-community partnerships and enterprises. There have been several attempts to conserve critical habitats such as grasslands, rivers and forests within the SME [5]. The present study examines the management of the Serengeti-Mara ecosystem (SME) that lies within the Republic of Kenya and the Republic of Tanzania. Both countries are members of the East African Community (EAC) [6] besides Burundi, Rwanda and Uganda. The EAC has adopted transboundary natural resources management protocol as one its priority areas of intervention. In this review analyses of the East African Community policies and frameworks and their long term outcomes with specific reference to SME will be examined.

Status of the Ecosystem

The Serengeti-Mara ecosystem (SME) has an area of 31,500 km² and includes the Maasai Mara National Reserve (MMNR) comprising 25%, Serengeti National Park with an area of 14,750 km² and Ngorongoro Conservation Area 8,292 km² in Tanzania. The ecosystem lying at an altitude of 1600 m above mean sea level covers approximately 6,500 km², the remaining 75% is unprotected land occupied by both the

Maasai and other agro-pastoral communities [7]. The main water source for the ecosystem is the transboundary Mara River Basin (13,750 km²) which is drains in to Lake Victoria and therefore the headwaters of the River Nile. MMNR started as a wildlife sanctuary under the Mara Conservancy in 1948 with 520 km² being declared as protected land. In the same year it was established as the Maasai Mara Game Reserve and was later put under the Narok County Council (NCC) in 1961. The Reserve was increased from 520 km² to a total of 1,800 km². However in 1984 through a formal agreement, 301 km² was excised to provide access to the watering points for livestock. The MMNR now stands at the size of 1,530 km². In 1995 the MMNR was gazette to be under the joint control and management of Narok County and Trans Mara District. The NCC manages the Reserve east of the Mara River while the Trans Mara office manages the Reserve west of the river. The western side is known as the Mara Triangle. MMNR lies between 34°45' and 35°25' East and 1°13' and 1°45' south. The MMNR is in the Rift Valley, in Narok County. It is bisected by River Mara which forms the border between Narok County. The MMNR includes many group ranches like Koiyaki, Lamek, OI Derkesi and OI Kinyei. The Serengeti National Park (SNP) was established as game reserve in 1929 covering 25,000 km² to preserve lions. The game reserve was expanded in 1949 in to a bigger area and declared a National Park in 1951. Further expansion of the park was done in 1959 and the park placed under the Tanzania National Parks Authority (TANAPA). A buffer zone around the park was created to reduce human-wildlife conflicts. The buffer areas included Ngorongoro Conservation Area, the Mara-Maswa-Grumeti-Kijesreshi and Ikorongo Game Reserves and four different wildlife management areas (Ikona and Loliondo Game Controlled Area). The relative expansion of the park area was a demonstration of the growing importance of the conservation area and also reflected the growing challenges the park was beginning to face as a biodiversity ecosystem. As international recognition increased, the SNP was declared a World Heritage Site in 1981 and in the same year it was declared as a Biosphere Reserve under UNESCO's Man and Biosphere Programme. The wildlife population in the SME has been declining [8-13] due to expansion of agricultural land [14,15,12], increase of human settlements [5,16], hunting and bush meat [17] and livestock incursions into protected areas [12]. The most serious threat according to Lado [18] is habitat destruction and alteration. The overall root cause of wildlife decline is increase in human population [19]. Besides the wildlife, the Serengeti-Mara ecosystem (SME) is inhabited by the Maasai community whose culture has respect for and protect the wildlife ([20-22]; or for ceremonial purposes [23]). Their system of managing resources includes controlled grazing areas and fires [24-26]. Most of the Maa people have nomadic to sedentary lifestyles [27,23]. The cooperation amongst stakeholders is key to transboundary management of the SME especially where the traditional people are dependent on the same ecosystem for their livelihoods.

Methodology

Approach

The paper reviews the level of policy compliance and strategy integration of international cooperation in transboundary ecosystem of environment in Kenya and Tanzania in order to determine the extent to which the states have complied with international protocols. The secondary information of all articles relating to cooperation in East African Community (EAC) policies and legal frameworks on SME based on CBD including the East African Community (EAC) [6] Climate Change Policy (2011), the Protocol on Environment and Natural Resource Management (1999) and the East African Community Transboundary Ecosystems Management Bill (2010) were analysed. The criterion used for selecting the articles was the extent to which the articles addressed transboundary natural resources management in the East African region.

Measures of Compliance

Obligations in relation to policy

The term “compliance” designates the number of obligations featured in a policy intended to increase the level of cooperation and prevent disagreements including those that likely reduce habitat degradation. Policies are established by member states to help in developing institutions, legislations, strategies, and regulations on management. The level of compliance to policy was measured using the Obligation Compliance Susceptibility Index (OCSI). Shown by the formula as follows:

$$OCSI = \frac{\text{Number of obligations policy featured in}}{\text{Total number of obligations}} \times 100 \quad 1$$

The decision criteria will be based on OCSI ranging between 100-90% indicating excellent performance, 89-70% which was very good, 69-50% which meant good, 49-40% which reflected poor representation of the MEA in the relevant policy and less than 39% which indicated very poor performance of the policy or the legal framework.

Prescriptions in relation to obligations

Another level of integration was tested through the Policy Prescription Integration Susceptibility Index (PPISI) by checking the policy prescriptions in relation to the cooperation obligations. The total relevant prescriptions per obligation of each policy were converted into percentages. For example, if the Climate Change Policy had a total of five policy prescriptions relevant to cooperation, then these five policy prescriptions were cross checked against each cooperation obligation so as to see which prescriptions were relevant in relation to the international obligations. The percentage of these prescriptions per obligation was calculated as shown in Equation 2.

$$PPISI = \frac{\text{Total prescriptions per obligation}}{\text{Total policy prescription per policy}} \times 100 \quad 2$$

An assessment of documentary evidence on the level of effectiveness in the integration of transboundary cooperation

in policies and legal frameworks, and using non-probabilistic sampling data were collected from 35 respondents, 20 from the MMNR area and 15 from the Serengeti area using questionnaires. The sample was convenient sampling in which only adults who had interacted with conservation areas were interviewed. Additionally a cross tabulation using check list on policies related to biodiversity in the East African Community region, and policy prescriptions was made.

Results and discussions

Table 1 shows the three framework laws that were identified and examined. The Articles that spell out requirements for the transboundary management of the ecosystem are Articles 1, 5, 6(a), 7, 8(a), 8(h), 8(j), 10, 12, 13, 14 and 17 of the biodiversity management (Table 1). The total number of obligations was 12. Two legal institutions that have been given mandates to manage biodiversity conservation are Kenya Wildlife Service (KWS) in Kenya and TANAPA in Tanzania. NEMA and NEMC are the regulatory authorities regarding environmental management. The policy environment in the two sister states indicate that both have been keen on biodiversity conservation as may be noted by the series of policy and regulatory mechanism that have been presented. However there were differences in legislation and practice that have prioritized individual land acquisition, agricultural expansion and urban settlement. Table 2 shows the summary of policies in Kenya and Tanzania.

It may be noted that the policies were developed at different times and as a result the Lands, irrigation and fisheries policies in Tanzania have been undergoing reviews. Similarly, most of the Kenyan policies have recently been reviewed to streamline the sectoral policies to the Constitution 2010. More efforts to conserve wildlife through community initiatives has been successful on the Tanzanian side compared to Kenya [24] partly because of communal management of natural resources. After Kenya's independence the government encouraged wheat growing in the northern part of the SME [28] allowing penetration of farms into wildlife zones. In 1975 the distance of the nearest farm to the Maasai Mara National Reserve (MMNR) boundary was 52 km; by 1990 it had reduced to 40 km and further to 17 km in 1995 [29]. Around the MMNR there are so many sporadic semi urban-market centers, human settlements, roads and other social amenities. Examining the Protocol on Environment and Natural Resource Management (1999), all the 12 obligations of the CBD in terms of cooperation were reflected (100%). The East African Community Transboundary Ecosystems Management Bill (2010) scored 91.7% (11 obligations) while the East African Community (EAC) [6] Climate Change Policy (2011) scored 75% (9 of the 12 obligations). The results of the analysis of the three frameworks are shown in Table 3. From Table 3 it may be noted that the Protocol on Environment and Natural Resource Management, East African Community Transboundary Ecosystems Management Bill scores between 100-90% (excellent) while East African Community

(EAC) [6] Climate Change Policy score between 89-70% (very good). Although the Protocol on Environment and Natural Resource Management emerged the overall best as it addressed all the 12 obligations on cooperation, the prescriptions in relation to the twelve obligations of the CBD and the direct relevance to the SME are seventeen out of the fifty-one prescriptions (33 %).The East African

Community Transboundary Ecosystems Management Protocol has fourteen prescriptions from a total of twenty-four which address the cooperation issues targeting the SME (58.3%). The East African Community (EAC) [6] Climate Change Policy has six prescriptions addressing cooperation out of the total eighteen prescriptions (33.3%) illustrated in Figure 1.

Table1: Framework laws of the East African Community on biodiversity management.

The Protocol on Environment and Natural Resource Management		East African Community Transboundary Ecosystems Management Bill		East African Community (EAC) [6] Climate Change Policy	
Article	Content	Article	Content	Article	Content
3	The Protocol applies to the management of transboundary resources.	3	Establishment of an institutional framework for the management of trans-boundary ecosystems within and among Partner States	2.2	Promote capacity building efforts through inter alia education, training, research, technology development and transfer and information and knowledge management on climate change
4	The partner states follow the principle of co-operation in the management of environment and natural resources.	4	This Act shall apply to all existing and proposed activities in trans-boundary ecosystems within and among Partner States	3.1.3	The EAC shall aim at development of climate change adaptation plans, policies and strategies and mainstreaming climate change adaptation in national development planning
5	Foster closer cooperation for sustainable and coordinated management, conservation, protection and utilization of the environment and natural resources	5	The management of the East African Transboundary Ecosystems will be done by the East African Transboundary Ecosystems Management Commission	3.3.3	EAC Partner States shall strengthen climate change scientific research through monitoring, detection, attribution and prediction
6	Harmonize the policies, laws and strategies in the national jurisdictions.	7	the Commission shall coordinate, monitor and supervise the implementation of the East African Community policies relating to management of trans-boundary ecosystems and liaise with the private sector, on issues relating to management of trans-boundary ecosystems	3.4.1	Partner States shall undertake public awareness on the importance of ecosystems in climate change mitigation and the well-being of the region's environment
7	Protect critical ecosystems of flora and fauna	8	The national environment management authorities in the Partner States shall be the national transboundary ecosystems management focal points	3.4.3	Partner States shall develop a database for repository of research findings, and sectoral information sharing including knowledge management
8	Enforce that conservation and management of environment and natural resources are treated as an integral part of national and local development plans	9	Partner States shall take all measures necessary to prevent the introduction of alien species of fauna and flora into the shared trans-boundary ecosystems	4.2.3	The capacity building for climate change adaptation and mitigation shall focus on education, training and public awareness.
9	Jointly develop and adopt harmonized common policies and strategies.	10	Partner States sharing continuous ecosystems shall identify and designate such areas as trans-boundary ecosystems		

10	Partner States shall develop, harmonise, adopt and implement common policies, laws, strategies, plans and programmes.	12	Partner States shall require any person intending to use the shared trans-boundary ecosystems within their territories for must obtain a permit.	
11	Partner states shall regulate and control introduction of alien species, plant pests and diseases, and develop early warning systems for all types of threats to trees.	13/14/ 15/16/ 17/18	Activities which are likely to have significant trans-boundary impacts shall not be carried out without an approved EIA.	
12	Partner States shall develop, harmonize adopt common policies, laws and strategies for the conservation and sustainable utilization of wildlife resources in and outside protected areas and integrate such management into national development plans.			
13	Protect and conserve the water resources and their ecosystems through protecting and improving the water quality; preventing the introduction of alien species into; and protecting and conserving biological diversity in the water resources.			
22	The Partner States shall develop and harmonise common policies, laws and strategies for ensuring sustainable development of rangelands.			
23	The Partner States shall develop and adopt an integrated approach to address the physical, biological and socio-economic aspects of the process of drought.			
24	The Partner States shall develop and adopt an integrated approach to address the effects of climate change	17		
26	The Partner States shall ensure the competitiveness of the Community as an attractive investment destination and develop appropriate tourism-specific incentives to encourage the growth of private sector initiatives in the tourism sector.			
31	The Partner States shall harmonise and adopt common policies, laws and programmes requiring the conduct of environmental impact assessments for planned activities and projects which are likely to have significant adverse impacts			
34	Partner States shall ensure that officials and public authorities assist the public to gain access to information and facilitate their participation in environmental management			

Table 2: Summary of policies on environment and natural resources management.

Sector	Kenya	Tanzania	Comments
Constitution	Comprehensive treatment of Land and Environment and Natural Resources Management.	1977 Art. 27(1) Safeguard and protection of environment; 27(2) on abuse, misuse, wastage, etc	Kenya's constitution recently revised.
Water	National Water Policy, 1999; Draft Transboundary, 2008	Water Policy (NAWAPO) 2002, Issue of full cost recovery.	Tanzania has transboundary issues. Water must be planned with land use in mind.
Environment	National Environment Management Policy Draft. Well detailed. NEMA.	National Environment Policy 1997. NEMC	Sectoral policy may be conflicting in some cases.
Land	National Lands Policy, 2010; Draft Constitution 2010.	National Lands Policy 1961.	Major differences on lands issues. Land use very important in Mara River Basin context.
Wildlife	Wildlife Conservation and management Act 2013	Wildlife Conservation Act no.5, 2009; National Wildlife Policy 2007	Individualized land division and expansion of agriculture.
Wetlands	Draft National Wetland Policy – KWS, WRMA, NEMA	No wetlands policy. National Environment Policy, 1997	
Forestry	KFS Development Policy, 2005; National Policy draft discussed but never went to Cabinet.	National Forestry Policy, 1998;	
Irrigation	National Irrigation Bill, 2015; National Irrigation Policy, Draft 2008.	Irrigation Policy, 1997	
Agriculture	NAEP, 2001	National Agriculture policy, 1997; National Livestock Policy, 1997	
Fisheries	National Fisheries Policy, Draft 2009.	National Fishery Policy 1998	Tanzania is revising most of their natural resources legislations.

Table 3: CBD obligations and their relevant EAC frameworks.

CBD obligations	Transboundary Ecosystems Management Bill	The Protocol on Environment and Natural Resource Management	Climate Change Policy
Conservation, sustainable use and equitable sharing of biodiversity (Article 1)	√	√	√
Identifying threats and monitoring status of biodiversity and habitats (Article 7)	X	√	X
Cooperation amongst countries in biodiversity usage and conservation (Article 5)	√	√	√
Developing National Strategies, plans and programmes for conservation (Article 6a)	√	√	√
In-situ conservation through protected areas (Article 8a)	√	√	X
Prevention of alien species (Article 8h)	√	√	X
Innovation, integration of indigenous knowledge and involvement of local communities (Article 8j)	√	√	√
Cooperation between government and private sector in the sustainable use of Bioresource (Article 10)	√	√	√
Research and training for conservation and sustainable use of biodiversity (Article 12)	√	√	√

Public education and awareness, participation (Article 13)	√	√	√
Minimizing impacts on biodiversity with EIAs (Article 14)	√	√	√
Exchange of technology, scientific, socio-economic and indigenous research results (Article 17)	√	√	√
Total obligations achieved	11	12	9
% score achieved	91.7	100	75




Figure 1: Benefits to the communities in the SME.

Policy prescriptions

Policy Prescription Integration Susceptibility Index (PPIS) is a measure of the number of prescriptions which address the cooperation issues targeting transboundary ecosystem management such as the SME. The Protocol on Environment and Natural Resource Management had a total of 51 prescriptions from which only 17 were related to cooperation as indicated in Table 1 giving a Policy Prescription Integration Susceptibility Index (PPISI), 33%. The East African Community Transboundary Ecosystems Management has fourteen prescriptions from a total of twenty-four prescriptions has a PPISI of 58.3% while the East African Community (EAC) [6] Climate Change Policy has six prescriptions addressing cooperation out of the total eighteen prescriptions and a PPISI of 33%. This indicates that although the OISI is a good indicator in helping to assess the level of obligation integration, the PPISI provides a realistic picture in terms of the policy prescription integration levels. In this analysis, the OISI indicated that the Protocol on Environment and Natural Resource Management reflected the best regarding to all the twelve obligations. On the other hand the PPISI indicated that the East African Community Transboundary Ecosystems Management Protocol have domesticated the cooperation obligations better in terms of prescriptions. The achievement of the cooperation obligations itself is not a benchmark to show the domestication of cooperation but the number of prescriptions per legal framework on cooperation reflect more authority on domestication of the legal frameworks in transboundary matters. In most cases the policy prescriptions are very poorly reflected.

Community based responses from questionnaires

The effectiveness of the transboundary frameworks

were also measured by the community awareness and participation in the frameworks. Out of 35 respondents, the number of males was 71.4% while the females were 28.6%. In order to capture the effectiveness of the EAC transboundary frameworks, the respondents were asked whether they perceived any conservation efforts being carried out by the Kenya Wildlife Service (KWS) and the TANAPA. Majority of the respondents (82.9%) stated that there was no effort from the authorities in terms of conservation. The respondents' response was that there were no benefits (40%) while 60% stated that there were benefits from 17% positive responses for the previous question. The benefits included income (40.2%), improvement in education (32.7%) and poverty reduction (41.7%) as stated by the respondents shown in Figure 2. For threats to the SME and whether there were any initiatives taken to overcome such threats, the respondents noted deforestation and decrease in wildlife as the only challenges. There were no initiatives (70%) taken from the authorities to reduce the threats. The majority of respondents (70.4%) were not involved in decision making and only 28.6% were involved in decision making. Most governments work on the command and control approach which does not involve the locals and hence fails to address environmental problems [30] and at the same time different goals and mandates which hinder transboundary management and cooperation [31]. Awareness creation through frequent workshops was reported by 68.6% of the respondents. Lack of education and awareness may impedes transboundary cooperation [32,33] or promotes it [34,35]; in which t. most people know very little about the transboundary wildlife ecosystems, hence low priority for conservation. In the US side, there is more awareness in the transboundary wildlife ecosystem as te latter generates significant community involvement [36-50].




Figure 2: Policy prescription integration level of EAC frameworks.

Discussions and Conclusion

Biodiversity management is threatened by livestock grazing, population increase, human-wildlife conflicts, poaching, tourism and poverty. Furthermore as population increases, illegal settlements and encroachment of forest land leading to degradation, deforestation and habitat fragmentation. There are a lot of initiatives taken by both Indian and Nepalese communities and the governments. These include the bottom-up cooperative activities including cross-border visits by managers, scientists, sharing data and continuous workshops on education and awareness. The results of this study show that all the three legal frameworks namely the Protocol on Environment and Natural Resource Management, the East African Community Transboundary Ecosystems Management Bill and the Climate Change Policy integrated Articles 1, 5, 6a, 8j, 10, 12, 13, 14 and 17. Studies have shown that in most regional blocs like South and Central America (CISDL & WFC, 2011) and SADC Article 1 on conservation, sustainable use and equitable sharing of biodiversity is well catered for. This is because biodiversity is the backbone of these countries in terms of food security and foreign exchange and thus, is incorporated in all biodiversity policies. Likewise Article 8j is also well catered for in many regional blocs. For example in SADC, community involvement in wildlife management through the Communal Area Management Programme is doing well especially where transboundary resources are shared. For example the Kruger National Park in South Africa is shared with Gonarezhou National Park in Zimbabwe (IUCN, 2005) [51-60]. Around these parks, communities have benefited from habitat protection through economic development in terms of tourism, firewood collection, medicinal plants and cutting of thatch grass. It has also helped in reducing poverty (ibid) [61-64]. The findings showed that the CBD Article 7, on cooperation for identifying threats and monitoring status of biodiversity and habitats was very poorly reflected in the legal frameworks. Only the Protocol on Environment and Natural Resource Management took Article 7 into account which explains why the transboundary resources continue to suffer from deforestation. Transboundary management of ecosystems needs to transcend administrative boundaries because the latter never defines natural ecosystems as wildlife is migratory [65]. The Maa community must be encouraged to use wildlife for economic benefits through tourism. Threats like habitat degradation and loss are very common. This research has also shown deforestation to be a cause of habitat destruction [66-69].

References

1. Parkipuny MS (1997) Pastoralism, conservation and development in the Greater Serengeti region. Multiple land-use: The experience of the Ngorongoro Conservation Area, Tanzania. IUCN, Gland, Switzerland and Cambridge, UK.
2. Okello MM (2005) Land Use Changes and Human-Wildlife Conflicts in the Amboseli Area, Kenya. *Human Dimensions of Wildlife* 10(1): 19-28.
3. Nyhus PJ (2016) Human-Wildlife Conflict and Coexistence. *Annual Review of Environment and Resources* 41: 143-171.
4. Van der Linde H, Oglethorpe J, Sandwith T, Snelson D, Tessema Y (2001) Beyond Boundaries: Transboundary Natural Resource Management in Sub-Saharan Africa. Biodiversity Support Program. Washington DC, USA.
5. Lamprey RH, Reid RS (2004) Expansion of human settlement in Kenya's Maasai Mara. What future for pastoralism and wildlife? *Journal of Biogeography* 31(6): 997-1032.
6. East African Community (EAC) (2012) Serengeti-Maasai Mara ecosystem. Transboundary Protection and Monitoring Plan. EAC, Africa.
7. Karanja G (2003) Tourism impacts in MMNR. In: Walpole M, Karanja G, Sitati N, et al. (Eds). *Wildlife and people. Conflict and conservation in Maasai Mara, Kenya*. IIC Wildlife and Development Series No. 14, Kenya.
8. Ogutu JO, Owen-Smith N (2003) ENSO, rainfall and temperature influences on extreme population decline amongst frican savannah ungulates. *Ecological letters* 6(5): 412-419.
9. Owen-Smith N, Mills MGL (2006) Manifold interactive influences on the population dynamics of a multispecies ungulate assemblage. *Ecology monograph* 76(1): 73-92.
10. Stoner C, Caro T, Mduma S, Mlingwa C, Sabuni G, et al. (2006) Changes in large herbivore populations across large areas of Tanzania. *African Journal of Ecology* 45(2): 202-215.
11. Stoner C, Caro T, Mduma S, Mlingwa C, Sabuni G, et al. (2007) Assessment of effectiveness of protection strategies in Tanzania based on a decade of survey data for large herbivores. *Conservation of Biology* 21(3): 635-647.
12. Ogutu JO, Piepho HP, Dublin HT, Bhola N, Reid RS (2009) Dynamics of Mara-Serengeti ungulates in relation to land use changes. *Journal of Zoology (London)* 278(1): 1-14.
13. Western D, Russell S, Cuthill I (2009) The status of wildlife in protected areas compared to non-protected areas of Kenya. *PLoS ONE* 4, eb140.
14. Serneels S, Said MY, Lambian EF (2001) Land cover changes around a major east African wildlife reserve: The Mara ecosystem (Kenya). *International Journal of Remote Sensing* 2(17): 3397-3420.
15. Thomson M, Homewood K (2002) Entrepreneurs, elites and exclusion in Maasailand: Trends in wildlife conservation and pastoralist development. *Human Ecology* 30(1): 107-138.
16. Norton-Griffiths M, Said MY, Serneels S, Kaelo DS, Coughenour M, et al. (2009) Land use economics in the Mara area of the Serengeti ecosystem. In: Packer C, Sinclair ARE (Eds): *Serengeti III – Human-wildlife interactions*. University of Chicago Press, USA, pp. 379-416.
17. Loibooki M, Hofer H, Campbell KLI, East ML (2002) Bushmeat hunting by communities adjacent to the Serengeti National Park, Tanzania: The importance of livestock ownership and alternative sources of protein and income. *Environmental Conservation* 29: 391-398.
18. Lado L (1996) Problems of wildlife management and land use in Kenya. *Land Policy* 9(3): 169-184.
19. Johan TT (1995) Determinants of the composition and distribution of wildlife communities in Southern Africa. *Ambio* 24: 2-6.

20. Ole Tunya S (1992) MMNR. In: Gakahu CG (Eds) Tourist attitudes and use impacts in MMNR. Wildlife Conservation International, Nairobi, Kenya.
21. Ole Dapash (1997) The future of Maasai people and wildlife. In: Satya, a magazine of vegetarianism, environmentalism and animal advocacy. Stealth Technologies Inc. 539 1st Street, Brooklyn, New York, USA.
22. Rotken SK (1997) Intoduction: Definitions and background concepts – keynote address. In: Gichohi H, (Eds), Defining a framework for management and conservation planning for the Maasai Mara ecosystem. Proceedings of the planning workshop. Rewar Printers, Nairobi, Kenya.
23. Waithaka J (2004) Maasai Mara- an ecosystem under stage: An African case study on the societal dimension of rangeland conservation. *African Journal of Range and Forage Science* 21(2): 79-88.
24. Homewood KM, Rogers WA (1991) Maasailand ecology: Pastoralist development and wildlife conservation in Ngorongoro, Tanzania. Cambridge University Press, Cambridge, UK.
25. Go K (1998) Mismanagement of revenue by Narok County Council (NCC). A report to the Minister for Local Government by a commission appointed to investigate corruption in NCC. Nairobi, Kenya.
26. Cheeseman T (2002) Policy failure in Kenya conservation and Maasailand: Conservation and the Maasai in Kenya – Tradeoff or lost mutualism? Cheeseman, Saratoga, California, USA.
27. Reid RS, Rainy ME, Ogotu J, Kruska RL, Kimani K, et al. (2003) People, wildlife and livestock in the Mara ecosystem. The Mara count 2002. International Livestock Research Institute, Nairobi, Kenya.
28. Amuyunzu CL (1997) Analysis of land use changes in Narok District. Technical report. Department of Resource Survey and Remote Sensing. Ministry of Planning, Nairobi, Kenya.
29. Sitati N (1997) The impact of land use change on large herbivore populations in some Maasai Mara adjacent group ranches. MSc thesis, Moi University, Kenya.
30. Karkkainen B (2004) Marine ecosystem management and a 'post-sovereign' transboundary governance, in: HN Scheiber & KJ Mengerink (Eds), *Multilateralism and International Ocean Resources Law* (Berkeley: Law of the Sea Institute) 6: 113.
31. Wondolleck JM, Yaffee SL (2000) Making collaboration work- Lessons from Innovation in Natural Resource Management Washington DC: Island Press, USA, pp. 280.
32. Wikramanayake ED, Carpenter C, Strand H, M McKnight (2001) Ecoregion Based Conservation in the Eastern Himalaya: Identifying Important Areas for Biodiversity Conservation. WWF and ICIMOD, Kathmandu, Nepal.
33. Basnet K (2003) Transboundary Biodiversity Conservation Initiative. *Journal of Sustainable Forestry* 17(1-2): 205-226
34. Grant JA (2005) Driving Forces and Barriers to Transboundary Wildlife Management: The Crown of the Continent Ecosystem Experience (Calgary: University of Calgary), Canada.
35. Quinn MS (2002) Ecosystem-based management, in: D Thompson (Ed.) *Tools for Environmental Management* (Canada: New Society Publishers).
36. Alexander J, McGregor J (2000) Wildlife and Politics: CAMPFIRE in Zimbabwe. *Development and Change* 31(3): 605-627.
37. Alroy J (2001) A multispecies overkill simulation of the end-Pleistocene mega faunal mass extinction. *Science* 292(5523): 1893-1896.
38. Callicott JB, Nelson MP (1998) Introduction. In: Callicott JB, Nelson MP (Edt), *The Great New Wilderness Debate*. Athens, Georgia, University of Georgia Press, Georgia.
39. Casebear RL (1975) Summaries of statistics and regulations pertaining to wildlife, parks and reserves in Kenya. Project working document No. 8. UNDP/FAO Wildlife Management Project (KEN:71/526), Kenya Game Department, Nairobi, Kenya.
40. Central Bureau of Statistics (CBS) (2006) Ministry of Planning and National Development. Economic Survey, Nairobi, Kenya.
41. Dunson K (2000) President Clinton's Signature Says our Rainforests of the Sea Are a Priority', in: *Sounds and Straits, People for Puget Sound*, Seattle, Washington, USA, 10(4).
42. Fraser DA, Gaydoz JK, Karlsen E, Rylko MS (2006) Collaborative science, policy development and program implementation in the transboundary Georgia Basin/Puget Sound ecosystem. *Environmental monitoring and assessment* 113: 49-69.
43. Gaydos JK, Gilardi KVK (2003) Species of Concern in the Georgia Basin-Puget Sound Marine Ecosystem: More Support for a Transboundary Ecosystem Approach to Marine Conservation', in *Proceedings of the 2003 Georgia Basin/ Puget Sound Research Conference*, March 31-April 3, 2003, Vancouver, BC, Canada.
44. Gereta E, Mwangomo E, Wolanski E (2009) Ecohydrology as a tool for the survival of the threatened Serengeti ecosystem. *Ecohydrology and hydrobiology* 9(1): 115-124.
45. Gosling M (1997) Peace parks urged for conserving ecosystems, Kenya.
46. Hoffman CM (2007) Geospatial mapping and analysis of water availability-demand-use within the Mara River Basin, USA.
47. Hoffman AJ, Riley HC, Troast JG, Bazerman MH (2002) Cognitive and institutional barriers to new forms of cooperation on environmental protection, *American Behaviouralist Scientist* 45(5): 820-845.
48. Kipkoech A, Mogaka H, Cheboiwo J, Kimaro D (2011) The total economic value of Maasai Mau, Trans Mara and Eastern Mau forest blocks of the Mau Forest, Kenya. Lake Victoria Basin Commission Secretariat and Environmental Research and Policy Analysis, Kenya.
49. Landres PB, Knight RL, Pickett STA, Cadenasso ML (1998) Ecological effects of administrative boundaries, in: PB Landres & RL Knight (Eds) *Stewardship Across Boundaries* (Washington DC: Island Press), USA.
50. MacArthur R, Wilson E (1967) *The Theory of Island Biogeography*. Princeton, Princeton University Press, USA.
51. Mills CE, Rawson K (2004) Outlook grim for North Pacific Rockfish: Rockfish Symposium, Friday Harbor Laboratories, University of Washington, US, September 25-26, *Fish Fisheries* 5(2): 178-180.

52. Musiani M, Paquet P (2005) The practices of wolf persecution, protection and restoration in Canada and the United States, *Bioscience* 54(1): 50-60.
53. Olson DM, Dinslerstein E (2002) The Global 200. Priority ecoregions for global conservation. *Annals of the Missouri Botanical Garden* 89: 199-224.
54. Onyando J, Agol D, Onyango L (2013) WWF Mara River Basin management initiative, Kenya and Tanzania. Phase III – Final evaluation report, Kenya.
55. Parris TM (2004) Managing transboundary environments, *Environment* 46(1): 3-4.
56. Rothaus D, Friedman C (2003) Trends in pinto abalone (*Haliotis kamtschatkana*) abundance in the San Juan Islands and management of abalone in Washington State. *J Shellfish Res* 22: 851-852.
57. Rutten MM (1992) Selling wealth to buy poverty: The process of the individualization of land ownership among the Maasai pastoralists of Kajiado District, Kenya: 1890-1990. *Nijmegen Studies in Development and Cultural Change*, Catholic University, Nijmegen, Kenya 10: 510.
58. Sale K, (1991) *Dwellers in the Land: The Bioregional Vision*. San Francisco, Sierra Club, USA.
59. Sale K (2001) There's no Place like Home – What is 'Bioregionalism and Could it be the Answer to the World's Problems?', *The Ecologist* 31(2): 40-44.
60. Schonewald Cox CM, Bayless JW (1986) The boundary model: a geographical analysis of design and conservation of nature reserves, *Biological Conservation* 38(4): 306-322.
61. Sloan NA (2004) Northern abalone: Using an invertebrate to focus marine conservation ideas and values. *Coastal Manage* 32(2): 129-143.
62. Strickland RDW (Ed), (1973) *Narok district plan*. Narok Planning Team, Kenya soil survey, Nairobi, Kenya.
63. William JG (1967) *Field guide to the national parks of East Africa*. Collins, London, UK.
64. Wolmer W (2003) *Transboundary Conservation: The Politics of Ecological Integrity in the Great Limpopo Transfrontier Park*. *Journal of Southern African Studies* 29(1): 261-278.
65. Jafari R Kideghesho, , Julius W Nyahongo, Shombe N Hassan, Thadeo C Tarimo, Nsajigwa E (2006) *Factors and Ecological Impacts of Wildlife Habitat Destruction in the Serengeti Ecosystem in Northern Tanzania*. *AJEAM-RAGEE* 11: 917-32 17.
66. Young OR (1997) *Rights, rules and resources in world affairs in: OR Young (Ed.) Global Governance*, Cambridge MA: The MIT Press, USA.
67. Bennett AF (2003) *Linkages in the Landscape: The Role of Corridors and Connectivity in Wildlife Conservation* (Gland, Switzerland: IUCN), Australia.
68. *Biodiversity Support Program (BSP), (1993) African Biodiversity: Foundation for the future*. Washington, WWF, the Nature Conservancy and WRI with the US Agency for International Development, USA.
69. Boei W (2002) *Ship Emissions on the Rise: Poison in the Air*. Vancouver Sun Special Report, Vancouver British Columbia, Columbia, USA.